

Closing in on DiGeorge: Human Syndromes and Mouse Models

Clinical description

Linkage to 22q11 deletions

*Human genome project:
Sequence of Ch22*



Mouse models

Gene expression

Deletion analysis

Mutational analysis

The DiGeorge Syndrome (DGS)

- Cardiac outflow tract & septal defects
- Thymus and parathyroid hypoplasia
- Laryngeotracheal anomalies
- Craniofacial anomalies/facial dysmorphogenesis
- Cleft palate
- Micrognathia
- Low-set, abnormal ears

The DiGeorge/Velocardiofacial Syndrome (DGS/VCFS)

- Chr22 deletions
- Overlapping clinical features with Velocardiofacial, conotruncal face syndrome
- CATCH22

(it lived up to its namesake!)

Etiology of DGS


Developmental

- Pharyngeal arch and pouch developmental defects
- Neural crest defects


Genetic

- Variable size deletions 1.5-3MB
- No common region of overlap
- Contiguous gene syndrome?
- Single gene haploinsufficiency?

Regions of Conserved Synteny



Mouse Chromosome 16




What is *Tbx1*
Is *Tbx1* the key?


The T-box Gene Family

- 17 genes in mouse and human
- Developmentally important
- *Tbx1* maps to DGS region


Phylogenetic tree of the mouse T-box gene family




Tbx1 Expression at midgestation



Tbx1 Expression at midgestation




Tbx1 Targeted Mutagenesis




- Heterozygotes are viable and fertile
- Homozygotes die at birth


Aortic Arch Artery Defect in *Tbx1*
Heterozygous Embryos




Ear Defect in *Tbx1* Homozygous
Mutant Newborns




Craniofacial Abnormalities in *Tbx1*
Mutants




Cleft Palate in *Tbx1* Mutant Mice




Glandular and Heart Abnormalities in *Tbx1* Mutant Mice




Aortic Arch Abnormalities




Cardiovascular Defects in *Tbx1* Mutant Mice




Failure of branchiomeric myogenesis in *Tbx1*^{-/-} embryos



Craniofacial (branchiomeric) musculature not specified in *Tbx1* mutant mice




Otic Vesicle, Pharyngeal Arch and Pouch Defects



Major Embryonic Derivatives of *Tbx1* Expressing Tissues

- Otic vesicle – inner ear
- Pharyngeal arches – craniofacial bones, neck cartilage, ears, musculature
- Pharyngeal pouches – thymus, parathyroid
- Pharyngeal arch arteries – aorta
- (Neural crest – cardiac septum)

Tbx1 mutant mice have many features of DiGeorge syndrome




DGS/VCFS

- Cardiac outflow tract & septal defects
- Thymus & parathyroid hypoplasia
- Laryngeotracheal anomalies
- Craniofacial anomalies
- Cleft palate
- Micrognathia
- Low-set, abnormal ears
- Muscle hypotonia

Tbx1 Mutant

- Cardiac outflow tract & septal defects
- Thymus & parathyroid hypoplasia
- Laryngeotracheal anomalies
- Craniofacial anomalies
- Cleft palate
- Micrognathia
- Low-set, abnormal ears
- Myogenesis defects

Salivary gland defects in *Tbx1* mutant mice



sublingual and submaxillary salivary glands missing or reduced

Is *TBX1* the only gene involved in DiGeorge syndrome?

Issues to be resolved

- Mouse haploinsufficiency does not recapitulate DGS
- Not all DGS deletions include *TBX1*
- Most non-deletion DGS patients do not have *TBX1* mutations


Is *TBX1* the only gene involved in DiGeorge syndrome?

- Deletion of regulatory elements?
- Linked modifier loci?
- Chromatin conformational effects?
- Linked genes affecting the same tissues?
- Exacerbation of haploinsufficiency?

Genetic interactions with linked genes

- *Crkl* gene in 22q11
- Sometimes deleted in DGS
- Expressed in neural crest
- Exacerbated cardiac phenotype in *Crkl*/+; *Tbx1*/+ double heterozygotes

Closing in on DiGeorge: Human Syndromes and Mouse Models



Acknowledgements

Columbia University

Loydie Jerome-Majewska

Debbie Chapman
Jeremy Gibson-Brown
Sarah Hancock
Robert Kelly

Collaborators

Lee Silver
Debbie Guris
Akira Imamoto
