

Closing in on DiGeorge: Human Syndromes and Mouse Models

Clinical description

Linkage to 22q11 deletions

*Human genome project:
Sequence of Ch22*



Mouse models

Gene expression

Deletion analysis

Mutational analysis

The DiGeorge Syndrome (DGS)

- Cardiac outflow tract & septal defects
- Thymus and parathyroid hypoplasia
- Laryngeotracheal anomalies
- Craniofacial anomalies/facial dysmorphogenesis
- Cleft palate
- Micrognathia
- Low-set, abnormal ears

The DiGeorge/Velocardiofacial Syndrome (DGS/VCFS)

- Chr22 deletions
- Overlapping clinical features with Velocardiofacial, conotruncal face syndrome
- CATCH22

(it lived up to its namesake!)

Etiology of DGS

Developmental

- Pharyngeal arch and pouch developmental defects
- Neural crest defects

Genetic


- Variable size deletions 1.5-3MB
- No common region of overlap
- Contiguous gene syndrome?
- Single gene haploinsufficiency?

Regions of Conserved Synteny

**Human
Chromosome 22**

**Mouse
Chromosome Synteny**

**Mouse
Chromosome 16**




Mouse Chromosome 16

DGS syntenic region genes

Deletion models

Candidate gene approach




What is *Tbx1*
Is *Tbx1* the key?


The T-box Gene Family

- 17 genes in mouse and human
- Developmentally important
- *Tbx1* maps to DGS region

Phylogenetic tree of the mouse T-box gene family




Chromosomal Locations of T-box Genes



T-box genes are DNA binding proteins and transcription factors

- Conserved DNA binding domain -- the T-domain
- Bind sequence-specific DNA
- Bind as dimers
- Affect transcription of target genes



Muller & Herrmann (1997) Nature 389:884

T-box gene mutations in human and mouse


Human

- *TBX3* - ulnar-mammary syndrome
- *TBX4* - small patella syndrome
- *TBX5* - Holt-Oram syndrome
- *TBX19* - pituitary deficiency of ACTH
- *TBX22* - cleft palate with ankyloglossia


Mouse

- *Tbx2* – heart, limbs
- *Tbx3* – limbs, mammary, yolk sac
- *Tbx4* – hindlimb, allantois
- *Tbx5* – heart, forelimb
- *Tbx6* – paraxial mesoderm
- *T* – posterior mesoderm, notochord
- *Tbr1* – brain
- *Eomes* – trophectoderm, mesoderm
- *Tbet* – T cells
- *Tbx15* – D/V patterning
- *Tbx18* – somite patterning
- *Tbx20* – heart patterning


Tbx1 Expression at midgestation



Tbx1 Expression at midgestation



Tbx1 Targeted Mutagenesis




- Heterozygotes are viable and fertile
- Homozygotes die at birth

Aortic Arch Artery Defect in *Tbx1* Heterozygous Embryos


+/+

+/-



E11.5


Ear Defect in *Tbx1* Homozygous Mutant Newborns





neonates

Craniofacial Abnormalities in *Tbx1* Mutants

+/+




-/-




Cleft Palate in *Tbx1* Mutant Mice

+/+

-/-




Glandular and Heart Abnormalities in *Tbx1* Mutant Mice




Aortic Arch Abnormalities

+/+

+/-



-/-




E11.5

Cardiovascular Defects in *Tbx1* Mutant Mice


+/+

-/-



e11.5

Failure of branchiomic myogenesis in *Tbx1*^{-/-} embryos



Tbx1^{+/-}

Tbx1^{-/-}


MyoD

E12.5

Craniofacial (branchiomeric) musculature not specified in *Tbx1* mutant mice

E14.5

FGF10
enhancer trap




Tbx1^{+/-}

Tbx1^{-/-}

Otic Vesicle, Pharyngeal Arch and Pouch Defects

+/+

-/-




E9.5


Major Embryonic Derivatives of *Tbx1* Expressing Tissues

- Otic vesicle – inner ear
- Pharyngeal arches – craniofacial bones,
neck cartilage, ears,
musculature
- Pharyngeal pouches – thymus, parathyroid
- Pharyngeal arch arteries – aorta
- (Neural crest – cardiac septum)


Tbx1 mutant mice have many features of DiGeorge syndrome




Abnormal aortic arches




Low set, abnormal ears





Hypoplastic thymus



Septal defects



Micrognathia



Cleft palate


DGS/VCFS

- Cardiac outflow tract & septal defects
- Thymus & parathyroid hypoplasia
- Laryngeotracheal anomalies
- Craniofacial anomalies
- Cleft palate
- Micrognathia
- Low-set, abnormal ears
- Muscle hypotonia

Tbx1 Mutant

- Cardiac outflow tract & septal defects
- Thymus & parathyroid hypoplasia
- Laryngeotracheal anomalies
- Craniofacial anomalies
- Cleft palate
- Micrognathia
- Low-set, abnormal ears
- Myogenesis defects

Salivary gland defects in *Tbx1* mutant mice



sublingual and submaxillary salivary glands missing or reduced

Is *TBX1* the only gene involved in DiGeorge syndrome?

Issues to be resolved

- Mouse haploinsufficiency does not recapitulate DGS
- Not all DGS deletions include *TBX1*
- Most non-deletion DGS patients do not have *TBX1* mutations

Is *TBX1* the only gene involved in DiGeorge syndrome?

- Deletion of regulatory elements?
- Linked modifier loci?
- Chromatin conformational effects?
- Linked genes affecting the same tissues?
- Exacerbation of haploinsufficiency?

Genetic interactions with linked genes

- Crkl gene in 22q11
- Sometimes deleted in DGS
- Expressed in neural crest
- Exacerbated cardiac phenotype in
- Crkl/+; Tbx1/+ double heterozygotes

Closing in on DiGeorge: Human Syndromes and Mouse Models

Clinical description

Linkage to 22q11 deletions

*Human genome project:
Sequence of Ch22*

TBX1

Mouse models

Deletion analysis

Gene expression

Mutational analysis

Acknowledgements

Columbia University

Loydie Jerome-Majewska

Debbie Chapman

Jeremy Gibson-Brown

Sarah Hancock

Robert Kelly

Collaborators

Lee Silver

Debbie Guris

Akira Imamoto